

## CONCRETE POLISHING

### 3-STEP CONCRETE POLISHING SYSTEM

Three 3-inch pads, featuring a new proprietary resin bond formula, and suitable for any type of concrete. Can be used wet or dry on almost any concrete polishing machine, using a velcro plate / tool holder. The floor should be cut to 120 grit with a metal or hybrid diamond tool, and densified, if necessary, before starting with step 1.



Amazing results in 3 easy steps! No messy chemical applications involved.

Item Number	Description	Size	Thickness
3S-1	3-Step floor polishing system, Step 1	3in / 77mm	9 mm
3S-2	3-Step floor polishing system, Step 2	3in / 77mm	9 mm
3S-3	3-Step floor polishing system, Step 3	3in / 77mm	9 mm

### HD RESIN DISCS

Designed for heavier grinders (30-inch and up). Make sure you add weights if you are using them on lighter machines, such as LAVINA 20 and 25. Can be used dry and wet, and are offered in 3- and 4-inch sizes.

Item Number	Description	Size	Thickness
HD-3-0030	Heavy Duty Resin Disc, Velcro Attachment, 30 Grit	3in / 77mm	8 mm
HD-3-0050	Heavy Duty Resin Disc, Velcro Attachment, 50 Grit	3in / 77mm	8 mm
HD-3-0100	Heavy Duty Resin Disc, Velcro Attachment, 100 Grit	3in / 77mm	8 mm
HD-3-0200	Heavy Duty Resin Disc, Velcro Attachment, 200 Grit	3in / 77mm	8 mm
HD-3-0400	Heavy Duty Resin Disc, Velcro Attachment, 400 Grit	3in / 77mm	8 mm
HD-3-0800	Heavy Duty Resin Disc, Velcro Attachment, 800 Grit	3in / 77mm	8 mm
HD-3-1500	Heavy Duty Resin Disc, Velcro Attachment, 1500 Grit	3in / 77mm	8 mm
HD-3-3000	Heavy Duty Resin Disc, Velcro Attachment, 3000 Grit	3in / 77mm	8 mm

Item Number	Description	Size	Thickness
HD-4-0030	Heavy Duty Resin Disc, Velcro Attachment, 30 Grit	4in / 101.6mm	8 mm
HD-4-0050	Heavy Duty Resin Disc, Velcro Attachment, 50 Grit	4in / 101.6mm	8 mm
HD-4-0100	Heavy Duty Resin Disc, Velcro Attachment, 100 Grit	4in / 101.6mm	8 mm
HD-4-0200	Heavy Duty Resin Disc, Velcro Attachment, 200 Grit	4in / 101.6mm	8 mm
HD-4-0400	Heavy Duty Resin Disc, Velcro Attachment, 400 Grit	4in / 101.6mm	8 mm
HD-4-0800	Heavy Duty Resin Disc, Velcro Attachment, 800 Grit	4in / 101.6mm	8 mm
HD-4-1500	Heavy Duty Resin Disc, Velcro Attachment, 1500 Grit	4in / 101.6mm	8 mm
HD-4-3000	Heavy Duty Resin Disc, Velcro Attachment, 3000 Grit	4in / 101.6mm	8 mm



# CONCRETE POLISHING

## NATO® POLISHING DISCS

Our Nato resins have truly set the standard for all other polishing pads to follow. Wide channels and a unique patented design allow for work on a cleaner surface, ensuring a quality polish. NATO® discs feature a thick 12mm layer of resin and diamonds for extra long life. We recommend a minimum of three discs per head for optimum performance. Also available in a thinner “economy” style (6mm).

NATO® Discs for **Dry and Wet** use, 3 Inch. Also offered in 4 Inch!

Item Number	Description	Size	Thickness
NS-0030D	NATO® Floor Polishing Disc, Velcro Attachment, 30 Grit	3in / 81.5mm	12 mm
NS-0050D	NATO® Floor Polishing Disc, Velcro Attachment, 50 Grit	3in / 81.5mm	12 mm
NS-0100D	NATO® Floor Polishing Disc, Velcro Attachment, 100 Grit	3in / 81.5mm	12 mm
NS-0200D	NATO® Floor Polishing Disc, Velcro Attachment, 200 Grit	3in / 81.5mm	12 mm
NS-0400D	NATO® Floor Polishing Disc, Velcro Attachment, 400 Grit	3in / 81.5mm	12 mm
NS-0800D	NATO® Floor Polishing Disc, Velcro Attachment, 800 Grit	3in / 81.5mm	12 mm
NS-1500D	NATO® Floor Polishing Disc, Velcro Attachment, 1500 Grit	3in / 81.5mm	12 mm
NS-3000D	NATO® Floor Polishing Disc, Velcro Attachment, 3000 Grit	3in / 81.5mm	12 mm



NATO® Discs for **Wet Only** use, 3 Inch

Item Number	Description	Size	Thickness
NS-0030	NATO® Floor Polishing Disc, Velcro Attachment, 30 Grit	3in / 81.5mm	12 mm
NS-0050	NATO® Floor Polishing Disc, Velcro Attachment, 50 Grit	3in / 81.5mm	12 mm
NS-0120	NATO® Floor Polishing Disc, Velcro Attachment, 120 Grit	3in / 81.5mm	12 mm
NS-0220	NATO® Floor Polishing Disc, Velcro Attachment, 220 Grit	3in / 81.5mm	12 mm
NS-0400	NATO® Floor Polishing Disc, Velcro Attachment, 400 Grit	3in / 81.5mm	12 mm
NS-0800	NATO® Floor Polishing Disc, Velcro Attachment, 800 Grit	3in / 81.5mm	12 mm
NS-1800	NATO® Floor Polishing Disc, Velcro Attachment, 1800 Grit	3in / 81.5mm	12 mm
NS-3500	NATO® Floor Polishing Disc, Velcro Attachment, 3500 Grit	3in / 81.5mm	12 mm
NS-8500	NATO® Floor Polishing Disc, Velcro Attachment, 8500 Grit	3in / 81.5mm	12 mm



# CONCRETE POLISHING

## WAFFEL POLISHING PADS

WAFFEL polishing pads are high quality resin pads that can be used dry and wet. Offered in several sizes: 7 Inch with two rows of segments for LAVINA 7 edger; 9 Inch with three rows of segments for larger, heavier machines such as L25L and L32; Also in 10.63 and 14 Inch size which can be used with the Trowel Shine system.

**Also offered in Copper bond for lippage removal on stone surfaces - see page 36**


### WAFFEL Pads, Dry and Wet, 7 Inch, 2 Rows of Segments

Item Number	Description	Size	Thickness
WAFF-7-0030D	WAFFEL Floor Polishing Pad, Velcro Attachment, 30 Grit	7in / 175mm	6 mm
WAFF-7-0050D	WAFFEL Floor Polishing Pad, Velcro Attachment, 50 Grit	7in / 175mm	6 mm
WAFF-7-0100D	WAFFEL Floor Polishing Pad, Velcro Attachment, 100 Grit	7in / 175mm	6 mm
WAFF-7-0200D	WAFFEL Floor Polishing Pad, Velcro Attachment, 200 Grit	7in / 175mm	6 mm
WAFF-7-0400D	WAFFEL Floor Polishing Pad, Velcro Attachment, 400 Grit	7in / 175mm	6 mm
WAFF-7-0800D	WAFFEL Floor Polishing Pad, Velcro Attachment, 800 Grit	7in / 175mm	6 mm
WAFF-7-1500D	WAFFEL Floor Polishing Pad, Velcro Attachment, 1500 Grit	7in / 175mm	6 mm
WAFF-7-3000D	WAFFEL Floor Polishing Pad, Velcro Attachment, 3000 Grit	7in / 175mm	6 mm



### WAFFEL Pads, Dry and Wet, 9 Inch, 3 Rows of Segments

Item Number	Description	Size	Thickness
WAFF-9-0030D	WAFFEL Floor Polishing Pad, Velcro Attachment, 30 Grit	9in / 232mm	10 mm
WAFF-9-0050D	WAFFEL Floor Polishing Pad, Velcro Attachment, 50 Grit	9in / 232mm	10 mm
WAFF-9-0100D	WAFFEL Floor Polishing Pad, Velcro Attachment, 100 Grit	9in / 232mm	10 mm
WAFF-9-0200D	WAFFEL Floor Polishing Pad, Velcro Attachment, 200 Grit	9in / 232mm	10 mm
WAFF-9-0400D	WAFFEL Floor Polishing Pad, Velcro Attachment, 400 Grit	9in / 232mm	10 mm
WAFF-9-0800D	WAFFEL Floor Polishing Pad, Velcro Attachment, 800 Grit	9in / 232mm	10 mm
WAFF-9-1500D	WAFFEL Floor Polishing Pad, Velcro Attachment, 1500 Grit	9in / 232mm	10 mm
WAFF-9-3000D	WAFFEL Floor Polishing Pad, Velcro Attachment, 3000 Grit	9in / 232mm	10 mm



# CONCRETE POLISHING

## V-HARR® PREMIUM POLISHING PADS

V-HARR® is one of Superabrasive's most versatile and popular polishing pads, designed for mechanically restoring and polishing concrete. Dry use is strongly recommended for concrete applications. V-HARR® is also ideal for terrazzo and hard stone floors, and will produce remarkable gloss results on black granite when used wet. Offered in all popular sizes for use with any planetary polisher.

### V-HARR® Pads, Dry, 9 Inch, 3 Rows of Resin

Item Number	Description	Size	Bond
VF-9-0050	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 50 Grit	9in / 225mm	resin
VF-9-0120	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 120 Grit	9in / 225mm	resin
VF-9-0220	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 220 Grit	9in / 225mm	resin
VF-9-0400	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 400 Grit	9in / 225mm	resin
VF-9-0800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 800 Grit	9in / 225mm	resin
VF-9-1800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 1800 Grit	9in / 225mm	resin
VF-9-3500	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 3500 Grit	9in / 225mm	resin
VF-9-BUFF	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 8500 Grit	9in / 225mm	resin



### V-HARR® Pads, Dry, 13.1 Inch, 2 Rows of Resin

Item Number	Description	Size	Bond
VF-13.5-0220	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 220 Grit	13.1in / 333mm	resin
VF-13.5-0400	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 400 Grit	13.1in / 333mm	resin
VF-13.5-0800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 800 Grit	13.1in / 333mm	resin
VF-13.5-1800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 1800 Grit	13.1in / 333mm	resin
VF-13.5-3500	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 3500 Grit	13.1in / 333mm	resin
VF-13.5-BUFF	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 8500 Grit	13.1in / 333mm	resin



# CONCRETE POLISHING

## V-HARR® - OTHER POPULAR SIZES

### V-HARR® Pads, Dry, 5 Inch, 3 Rows of Resin

Item Number	Description	Size	Bond
VF-5-0050	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 50 Grit	5in / 127mm	resin
VF-5-0120	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 120 Grit	5in / 127mm	resin
VF-5-0220	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 220 Grit	5in / 127mm	resin
VF-5-0400	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 400 Grit	5in / 127mm	resin
VF-5-0800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 800 Grit	5in / 127mm	resin
VF-5-1800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 1800 Grit	5in / 127mm	resin
VF-5-3500	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 3500 Grit	5in / 127mm	resin
VF-5-BUFF	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 8500 Grit	5in / 127mm	resin

### V-HARR® Pads, Dry, 7 Inch, 2 Rows of Resin

Item Number	Description	Size	Bond
VF-7-0050	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 50 Grit	7in / 175mm	resin
VF-7-0120	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 120 Grit	7in / 175mm	resin
VF-7-0220	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 220 Grit	7in / 175mm	resin
VF-7-0400	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 400 Grit	7in / 175mm	resin
VF-7-0800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 800 Grit	7in / 175mm	resin
VF-7-1800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 1800 Grit	7in / 175mm	resin
VF-7-3500	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 3500 Grit	7in / 175mm	resin
VF-7-BUFF	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 8500 Grit	7in / 175mm	resin

### V-HARR® Pads, Dry, 10.63 Inch, 3 Rows of Resin

Item Number	Description	Size	Bond
VF-10.63-0120	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 120 Grit	10.63in / 270mm	resin
VF-10.63-0220	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 220 Grit	10.63in / 270mm	resin
VF-10.63-0400	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 400 Grit	10.63in / 270mm	resin
VF-10.63-0800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 800 Grit	10.63in / 270mm	resin
VF-10.63-1800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 1800 Grit	10.63in / 270mm	resin
VF-10.63-3500	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 3500 Grit	10.63in / 270mm	resin
VF-10.63-BUFF	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 8500 Grit	10.63in / 270mm	resin

### V-HARR® Pads, Dry, 14 Inch, 3 Rows of Resin for Trowel Shine

Item Number	Description	Size	Bond
VF-14-1800	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 1800 Grit	14in / 355mm	resin
VF-14-3500	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 3500 Grit	14in / 355mm	resin
VF-14-BUFF	V-HARR® Polishing and Restoration Pad, Dry, Felt Backed, 8500 Grit	14in / 355mm	resin