



# SUPRASHINE IDEO System For Coated Floors



### **COATED FLOORS**

Polymer Coated floors are widely used around the world and their maintenance has been expensive, time-consuming and unsustainable. Depending on the region, we will find different kinds of coatings - from very soft with many layers to hard / acrylic with 2-3 layers maximum. Surfaces such as Linoleum (organic material) or VCT (Vinyl Composite Tiles) need to be sealed/coated to preserve those materials.

SupraShine pads and water is all you need for a complete maintenance of coated floors. Follow our fast and easy system to achieve amazing cleaning and gloss results, big savings

and minimum environmental impact.





## SUPRASHINE system FOR COATED FLOORS



**SILVER, 8000** 

### **BURNISH**

BURNISH DURING PERIODIC MAINTENANCE AFTER NEW LAYERS HAVE DRIED COMPLETELY (TO PREVENT SCRATCHING), OR AS A COMPLEMENT TO DAILY MAINTENANCE TO INCREASE GLOSS VERY FAST TO 80 POINTS OR MORE, WHERE NEEDED. USE WITH LOW-SPEED SINGLE-DISC/BUFFER IF HIGH-SPEED BURNISHER IS NOT AVAILABLE. MOIST SURFACE ELIMINATES DUST, ALLOWS SOME CLEANING, EXTENDS PAD LIFE AND IMPROVES GLOSS QUALITY.



**GREEN, 3500** 

### **DAILY MAINTENANCE**

DOUBLE ACTION - CLEANS & POLISHES DURING DAILY MAINTENANCE.
REMOVES SCRATCHES AND RESTORES THE COATED SURFACE.
ONE PASS WITH A SCRUBBER-DRYER EASILY INCREASES GLOSS BY 20 POINTS.



DEEP CLEAN / REMOVE TOP LAYER IF DIRTY BEFORE APPLYING A NEW LAYER OF COATING.





**TOP SCRUB** 

HD RED, 400


### **ECO-STRIP**

CAN BE USED WITH A SINGLE-DISC MACHINE BUT A SCRUBBER-DRYER IS MUCH FASTER.



HD BROWN, 220

### SUPRASHINE maintenance





- \* TOP LAYER MUST BE CLEAN BEFORE APPLYING NEW LAYERS OF COATING. IF NOT, STRIP AND RECOAT.
- \* ALL LAYERS SHOULD BE APPLIED THE SAME DAY TO AVOID GETTING DIRT BETWEEN THEM.
- \* ALWAYS ALLOW LAYERS TO DRY PER MANUFACTURER'S INSTRUCTIONS.