




# FLOORING SOLUTIONS

by  **SUPERABRASIVE**



**PRODUCTS DESIGNED TO RESTORE, ENHANCE, AND MAINTAIN YOUR FLOOR**



## OUR COMPANY



Superabrasive is a leader in the concrete grinding, polishing and floor maintenance industry with 35 years of experience. We proudly manufacture all the tools and equipment we offer, and we are committed to developing the best quality solutions for flooring contractors.

With a focus on simplicity and efficiency, our products and programs are suitable for a vast variety of floor types and deliver superior performance, productivity and reliability.



# SUPRASHINE

## THE NEW STANDARD FOR FLOOR MAINTENANCE



**THE MOST COMPLETE & EFFECTIVE  
RANGE OF PADS FOR FLOOR  
RESTORATION AND MAINTENANCE**



- ✓ Mechanical cleaning and polishing with diamond technology for long-lasting results.
- ✓ No chemicals required - use with water.
- ✓ Use with your standard cleaning machines (buffers, auto scrubbers, burnishers, etc).
- ✓ Cost-effective solutions that fit your floor care needs.

## SUPRASHINE REGULAR PADS

versatile and efficient



400 GRIT | 800 GRIT | 1800 GRIT | 3500 GRIT | 8000 GRIT

Professional range of pads with flexible material to deep clean, upgrade and maintain all types of coated and uncoated, hard and resilient floors.

Offered in all popular sizes from 5" to 28" diameter.

Also available in rectangular shapes.

Item Number	Description	Size
SRG-0400-17	SUPRASHINE 400 GRIT, RED 17", 2-PACK	17 inch / 432 mm
SRG-0800-17	SUPRASHINE 800 GRIT, WHITE 17", 2-PACK	17 inch / 432 mm
SRG-1800-17	SUPRASHINE 1800 GRIT, YELLOW 17", 2-PACK	17 inch / 432 mm
SRG-3500-17	SUPRASHINE 3500 GRIT, GREEN 17", 2-PACK	17 inch / 432 mm
SRG-8000-17	SUPRASHINE 8000 GRIT, SILVER 17", 2-PACK	17 inch / 432 mm

Item Number	Description	Size
SRG-0400-20	SUPRASHINE 400 GRIT, RED 20", 2-PACK	20 inch / 508 mm
SRG-0800-20	SUPRASHINE 800 GRIT, WHITE 20", 2-PACK	20 inch / 508 mm
SRG-1800-20	SUPRASHINE 1800 GRIT, YELLOW 20", 2-PACK	20 inch / 508 mm
SRG-3500-20	SUPRASHINE 3500 GRIT, GREEN 20", 2-PACK	20 inch / 508 mm
SRG-8000-20	SUPRASHINE 8000 GRIT, SILVER 20", 2-PACK	20 inch / 508 mm

Item Number	Description	Size
SRG-0400-27	SUPRASHINE 400 GRIT, RED 27", 2-PACK	27 inch / 686 mm
SRG-0800-27	SUPRASHINE 800 GRIT, WHITE 27", 2-PACK	27 inch / 686 mm
SRG-1800-27	SUPRASHINE 1800 GRIT, YELLOW 27", 2-PACK	27 inch / 686 mm
SRG-3500-27	SUPRASHINE 3500 GRIT, GREEN 27", 2-PACK	27 inch / 686 mm
SRG-8000-27	SUPRASHINE 8000 GRIT, SILVER 27", 2-PACK	27 inch / 686 mm

## SUPRASHINE HIGH PERFORMANCE

one pad maintenance solution



800 GRIT | 1800 GRIT | 3500 GRIT



A dedicated range of HIGH PERFORMANCE pads with flexible material for daily maintenance of HIGH TRAFFIC floors, as well as to upgrade any floor during daily maintenance.

Offered in all popular sizes from 5" to 28" diameter.

Also available in rectangular shapes.


Item Number	Description	Size
SHP-0800-17	SUPRASHINE HP 800 GRIT, ORANGE 17", 2-PACK	17 inch / 432 mm
SHP-1800-17	SUPRASHINE HP 1800 GRIT, BLUE 17", 2-PACK	17 inch / 432 mm
SHP-3500-17	SUPRASHINE HP 3500 GRIT, PINK 17", 2-PACK	17 inch / 432 mm

Item Number	Description	Size
SHP-0800-20	SUPRASHINE HP 800 GRIT, ORANGE 20", 2-PACK	20 inch / 508 mm
SHP-1800-20	SUPRASHINE HP 1800 GRIT, BLUE 20", 2-PACK	20 inch / 508 mm
SHP-3500-20	SUPRASHINE HP 3500 GRIT, PINK 20", 2-PACK	20 inch / 508 mm

Item Number	Description	Size
SHP-0800-27	SUPRASHINE HP 800 GRIT, ORANGE 27", 2-PACK	27 inch / 686 mm
SHP-1800-27	SUPRASHINE HP 1800 GRIT, BLUE 27", 2-PACK	27 inch / 686 mm
SHP-3500-27	SUPRASHINE HP 3500 GRIT, PINK 27", 2-PACK	27 inch / 686 mm

# SUPRASHINE HEAVY DUTY PADS

chemical-free stripping



The SupraShine HD tough material is ideal for surface preparation and chemical-free stripping with water only.  
Can be used with high-speed and low-speed machines.  
Offered in all popular sizes from 5" to 28" diameter.  
Also available in rectangular shapes.

Item Number	Description	Size
SHD-0220-17	SUPRASHINE HD 220 GRIT, BROWN 17", 2-PACK	17 inch / 432 mm
SHD-0400-17	SUPRASHINE HD 400 GRIT, RED 17", 2-PACK	17 inch / 432 mm


Item Number	Description	Size
SHD-0220-20	SUPRASHINE HD 220 GRIT, BROWN 20", 2-PACK	20 inch / 508 mm
SHD-0400-20	SUPRASHINE HD 400 GRIT, RED 20", 2-PACK	20 inch / 508 mm


Item Number	Description	Size
SHD-0220-27	SUPRASHINE HD 220 GRIT, BROWN 27", 2-PACK	27 inch / 686 mm
SHD-0400-27	SUPRASHINE HD 400 GRIT, RED 27", 2-PACK	27 inch / 686 mm

## SHINEPRO vs SUPRASHINE

First Generation Pads      New Generation Pads




## SUPRASHINE HYBRID TOOLS



SupraShine Hybrids are 5" pads featuring a true hybrid bond and inverse velcro attachment, designed to eliminate stains, scratches, and orange peel, restore and polish surfaces. Suitable for concrete, terrazzo and natural stone. Attach to a non-woven pad, and use with low-speed machines and water.

Item Number	Description	Size
SHB-050-5	SUPRASHINE HYBRID 50 GRIT, 5"	5 inch / 127 mm
SHB-100-5	SUPRASHINE HYBRID 100 GRIT, 5"	5 inch / 127 mm
SHB-200-5	SUPRASHINE HYBRID 200 GRIT, 5"	5 inch / 127 mm
SHB-400-5	SUPRASHINE HYBRID 400 GRIT, 5"	5 inch / 127 mm
SHB-800-5	SUPRASHINE HYBRID 800 GRIT, 5"	5 inch / 127 mm
SHB-1800-5	SUPRASHINE HYBRID 1800 GRIT, 5"	5 inch / 127 mm
SHB-3000-5	SUPRASHINE HYBRID 3000 GRIT, 5"	5 inch / 127 mm
SHB-BUFF-5	SUPRASHINE HYBRID BUFF GRIT, 5"	5 inch / 127 mm

## ELECTROPLATED DIAMOND SCREENS



The Diamond Screens are designed for repair of traffic patterns and stains on concrete floors. Our proprietary electroplated technology offers significantly longer life compared to other diamond systems. Use the Screens wet on weighted swing machines or auto scrubbers with water or neutral cleaner. Offered in several sizes from 13" to 27" diameter.

Item Number*	Description	Size
DS-14-220	ELECTROPLATED DIAMOND SCREEN, 14", 220 GRIT	14 inch / 355 mm
DS-14-400	ELECTROPLATED DIAMOND SCREEN, 14", 400 GRIT	14 inch / 355 mm
DS-14-600	ELECTROPLATED DIAMOND SCREEN, 14", 600 GRIT	14 inch / 355 mm

Item Number	Description	Size
DS-17-220	ELECTROPLATED DIAMOND SCREEN, 17", 220 GRIT	17 inch / 432 mm
DS-17-400	ELECTROPLATED DIAMOND SCREEN, 17", 400 GRIT	17 inch / 432 mm
DS-17-600	ELECTROPLATED DIAMOND SCREEN, 17", 600 GRIT	17 inch / 432 mm

Item Number	Description	Size
DS-20-220	ELECTROPLATED DIAMOND SCREEN, 20", 220 GRIT	20 inch / 508 mm
DS-20-400	ELECTROPLATED DIAMOND SCREEN, 20", 400 GRIT	20 inch / 508 mm
DS-20-600	ELECTROPLATED DIAMOND SCREEN, 20", 600 GRIT	20 inch / 508 mm

\* European part numbers for the screen - add "W" after the size, i.e. #DS-14W-220.

# SUPRASHINE WITH LOW-SPEED MACHINES

auto scrubbers, buffers



RESTORE, STRIP, CLEAN, UPGRADE.  
MAINTAIN ALL FLOORS WITH  
SUPRASHINE AND WATER.

## DAILY MAINTENANCE

Very soft coatings,  
delicate surfaces - high gloss  
porcelain



max gloss

8000

## ALL AROUND DAILY MAINTENANCE

Medium/Hard CoatinsGs  
PVC, Vinyl, Rubber, Natural  
wood



3500

## ALL AROUND DAILY MAINTENANCE

Matt PVC, Vinyl, Rubber



1800

## DEEP CLEANING

PVC, Vinyl, Rubber, Natural  
wood  
Top scrub all coatings.



800

## VERY DEEP CLEANING

Porous ceramic tiles  
matt porcelain, granite  
RESTORATION of epoxy  
resin, vinyl pvc.



400

200

100

50

## DAILY GLOSS UPGRADE & MAINTENANCE - VERY HIGH GLOSS

Polished concrete,  
Terrazzo, Epoxy (Resin &  
Terrazzo), Marble, Granite,  
Ceramic tiles



## DAILY GLOSS UPGRADE & MAINTENANCE - HIGH GLOSS

Polished concrete,  
Terrazzo, Epoxy (Resin &  
Terrazzo), Marble, Granite,  
Ceramic tiles



## DAILY GLOSS UPGRADE & MAINTENANCE - LOW GLOSS

Porous ceramic tiles,  
matt porcelain



## DEEP CLEANING ALL FLOORS



## PREP, STRIP, HONE



## RESTORATION

## HONING

## GRINDING



# SUPRASHINE WITH HIGH-SPEED MACHINES

burnishers



ACHIEVE CLEANING EFFECT, IMPROVE PAD LIFE  
AND GLOSS QUALITY. SLIGHTLY MIST PADS TO  
ELIMINATE DUST.

## DAILY& PERIODIC BURNISHING PAD TO PUMP UP THE GLOSS

All coated & uncoated floors  
Flexible material



max gloss

8000

## GLOSS UPGRADE LEVEL 3

Uncoated floors  
Flexible material



3500

## GLOSS UPGRADE LEVEL 2

Uncoated floors  
Flexible material



1800

## GLOSS UPGRADE LEVEL 1

Uncoated floors  
Flexible material



800

## SURFACE PREP

Uncoated floors  
Flexible pad material




400

200


## GLOSS UPGRADE, LEVEL 3

Uncoated floors  
Flexible material  
Faster & higher gloss  
Longer lifespan




## GLOSS UPGRADE, LEVEL 2

Uncoated floors  
Flexible material  
Faster & higher gloss  
Longer lifespan




## GLOSS UPGRADE, LEVEL 1

Uncoated floors  
Flexible material  
Faster & higher gloss  
Longer lifespan



## HEAVY DUTY SURFACE PREP, HONING

Uncoated floors  
Heavy-duty material



## FLOOR RESTORATION MADE EASY

Concrete, Terrazzo, Natural Stone



### SUPRASHINE HYBRIDS



**50-100**  
**REPAIR**

Prep & Clean slightly damaged or stained floors. Remove orange peel, light scratches. Prep for a sealer or coating.

**200-400**  
**REFINE**

Remove light scratches, discoloration, stains, efflorescence. Prep for polishing steps. Matt finish.

**800-1800**  
**POLISH**

Use on smooth and polished floors that have lost shine. Also for monthly maintenance to restore shine.

**3000-8000**  
**MAX. DOI**

Maximize gloss DOI on floors in good condition.



## SIMPLE, EFFECTIVE, SUSTAINABLE FLOOR CARE

Light Grinding and Polishing with Water

### READY.

Attach the Hybrids to a floor maintenance pad (spaced evenly apart).



### SET.

Use with **low-speed** machines - scrubbers for best results. Recommended min. pressure: **90-100 lbs.** Use with water, and make 3-4 passes. A densifier may be needed on some concrete floors.



### GO.

1. Sweep the floor.
2. Start machine with a slow steady speed in one direction.
3. After each pass, next pass should be in the opposite direction. Make 3-4 passes, overlapping 1-2".
4. Autoscrub between each step.
5. Inspect the floor to ensure even cut.

### INSPECT FLOOR TO DETERMINE SERVICE LEVEL NEEDED:

FLOOR HAS  
DEEP SCRATCHES  
AND ORANGE PEEL

Start with Hybrids 50 or 100. Continue up to desired grit.

FLOOR HAS  
LIGHT SCRATCHES  
AND ORANGE PEEL

Use Hybrids 200 or 400. Continue up to desired grit.

FLOOR IS SMOOTH  
BUT NO SHINE

Use Hybrids 800-8000.





[info@superabrasive.us](mailto:info@superabrasive.us) | [superabrasive.com](http://superabrasive.com) | 706-658-1122

